





Valve compatibility list




for HmIP-eTRV thermostatic heads and standard radiator valves











































 No adapter is needed







 Adapter is needed










































 Order the adapter separately from a specialist dealer


 No adapter is currently available for this valve








































Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Opened in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Albert	Thread M30 x 1,5	43	38,1		
				Armal	Thread M24 x 1,5	15	11,5		
				Bianchi 	Thread M30 x 1,5	10,4	9		
				BRV 	Thread M30 x 1,5	9,5	7,4		
				Caleffi 	23 mm	16,6	13		











































from top	Images (5x5 mm grid size)			Manufacturer's icon or logo	Connection/Hang up	Opened in mm	Closed in mm	Adapter	Availability of adapters
	alongside	alongside	diagonally from above						
				Carlo Poletti 	Thread M30 x 1,5	14,1	11,4		
				Comap 	Thread M28 x 1,5	10,7	8,3		e.g. on the web safe-home.eu  Valve Adapter Comap 
				Comap 	Thread M30 x 1,5	13,9	11,5		
				Conec 	Thread M30 x 1,5	9,4	6,3		
				Coterm	Thread M28 x 1,5	18,4	15,8		
				Danfoss RA	23 mm with 4 notches	32,5	30,5		Attached k*  









































from top	Images (5x5 mm grid size)			Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
	alongside	alongside	diagonally from above						
				Danfoss RA	23 mm with 4 notches	32	30,2		Attached k*  
				Danfoss RAV	34 mm with 4 notches	15,7	12,5		Attached k*  
				Danfoss RAVL	25,5 mm with 4 notches	14,7	11,9		Attached k*  
				Danfoss FJVR	32 mm with 2 notches	14,5	12,5		RTL valves cannot be controlled by electronic thermostatic heads. 
				Danfoss RTD	Thread M30 x 1,5	22,9	21,1		
				Diamond 	Thread M30 x 1,5	13,6	11,3		


Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Drayton 	Thread M30 x 1,5	13,5	11,4		
				Drayton	Thread M27 x 1,0	4,5	1,6		
				FAR 	23 mm with 4 notches	33,5	30,1		Attached k*  
				Gampper	27 mm with 4 notches and stepped internal thread 	10,5	8,8		e.g. on the web  www.elv.de č. 110217 
No image currently available	No image currently available	No image currently available	No image currently available	Gampper	Inner thread M22 	-	-		e.g. on the web  www.elv.de č. 110218 
				Gampper	27 mm with 4 notches, continuous internal thread 	11,2	9,1		e.g. on the web  www.elv.de č. 110216 








































Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Gammer	27 mm with 12 notches, continuous internal thread 	11,1	9,1		e.g. on the web www.elv.de č. 110216  
				Gammer	Thread M30 x 1,5	15,3	11,9		
				Giacomini 	22.6 mm	10,6	5,4		e.g. on the web www.elv.de č. 110212  
				Giacomini 	22.6 mm	9,2	5,2		e.g. on the web www.elv.de č. 110212  
				Heimeier 	Thread M30 x 1,5	13,5	11,7		
				Herz 	Thread M28 x 1,5	11,2	9,3		e.g. on the web safe-home.eu Valve Adapter Herz  




























Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Honeywell-Braukmann 	Thread M30 x 1,5	14	11,5		
				Idmar	Thread M30 x 1,5	15,1	11,7		
				Ista	Thread M32 x 1,0	15,3	11,5		e.g. on the web www.elv.de č. 83017  
				ITT DGC	Internal thread M30 x 1,0	8,1	5,1		
				IVAR	Thread M30 x 1,5	14,3	11,6		
				Jaga 	Thread M30 x 1,5	14,7	11,7		

from top	Images (5x5 mm grid size)			Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
	alongside	alongside	diagonally from above						
				Junkers 	Thread M30 x 1,5	15,1	11,5		
				Landis & Gyr 	24 mm	11	9		
				Luxor 	Thread M30 x 1,5	13,8	11,6		
				Markardys MMA	Thread M28 x 1,5	11,6	9,9		e.g. on the web  safe-home.eu Valve Adapter Comap 
				Markardys MMA	Thread M28 x 1,5	9,3	7,8		e.g. on the web  safe-home.eu Valve Adapter Comap 
				MAW 	Thread M33 x 2,0	9,3	7,2		

from top	Images (5x5 mm grid size)			Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
	alongside	alongside	diagonally from above						
				Meges	Thread M27 x 1,0	13,8	11,2		
				Meges	Thread M38 x 1,5	16,6	13,5		e.g. on the web www.elv.de č. 102671  
				MNG 	Thread M30 x 1,5	14,6	10,9		
				Ondal	Thread M38 x 1,5	15,6	13,9		e.g. on the web www.elv.de č. 86585  
				Oregon/Ondal	30 mm with 12 notches	7,3	5		
				Orkli 	Thread M28 x 1,0	17,3	14,9		

from top	Images (5x5 mm grid size)			Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
	alongside	alongside	diagonally from above						
				Orkli 	Thread M30 x 1,5	12,4	10,5		
				Orkli 	Thread M30 x 1.5 with 4 lugs	14,5	11,7		
				Orkli 	Thread M28 x 1.0 with 4 lugs	16	13,5		
				Oventrop OV	Thread M30 x 1,0	15,1	11,4		e.g. on the web safe-home.eu  Adap. valve Oventrop 
				Oventrop OV	Thread M30 x 1,5	14,5	11,4		
				Oventrop	Thread M40 x 1,5	19	15,6		




























Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Pegler	Thread M30 x 1,5	13,2	11,3		
				Pegler	Thread M30 x 1,5	13,3	11,4		
				Pettinaroli	Thread M28 x 1,5	20,7	18		
				Polytronic 	Thread M34 x 1,5	9,1	6,4		
				Polytronic	Plastic thread M34 x 1,5	7,7	4,6		
				Pont a Mousson 	Thread M28 x 1,5	9,6	8,2		e.g. on the web safe-home.eu  Valve Adapter Comap 


Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Pruss 	Thread M40 x 1,5	20,5	18,5		
				R.B.M. 	Thread M30 x 1,5	15,7	11,5		
				Reich	39 mm	16,9	13,4		
				Remagg	Thread M28 x 1,5	12	10,1		e.g. on the web safe-home.eu  Valve Adapter Comap 
				RM-Technik	Internal thread M30 x 1,0	4,2	1,1		
				Rosswainer 	Thread M30 x 1,5	13,7	11,7		

Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Rossweiner 	Thread M33 x 2,0	9,1	7,0		e.g. on the web www.elv.de č. 86584  
				Rotex	25.8 mm Plastic	13,4	11,6		
				Rotex	Plastic thread M30 x 1,0	-0,5	-4		
				Sam bzw. Slovarm 	Thread M28 x 1,5	5,6	2,7		e.g. on the web safe-home.eu Valve Adapter Comap  
				Samson	29.5 mm with 20 notches and interna thread M23 x Ph4,5 P1,5	1,3	-2		
				Sarco	Thread M32 x 1,0	-21,8	-24,3		


Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Scapi	Thread M34 x 1,3	1,9	-0,7		
				Schlösser 	Thread M30 x 1,5	14,2	11,3		
				Siemens	Thread M30 x 1,5	13,1	11,2		
				Simplex	Thread M30 x 1,5	13,7	11,8		
				Sopac	Internal thread M35 x 1,75	12,8	10,8		
				Sopac 	Internal thread M35 x 1,75	13,4	11,3		


Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				TA 	Thread M28 x 1,5	10,7	8,6		e.g. on the web safe-home.eu Valve Adapter Comap
				Temset	28 mm	10	7,8		
				Tiemme 	Thread M30 x 1,5	13,8	11,4		
				Vaillant	30.5 mm	9,8	8,8		e.g. on the web safe-home.eu Vaillant valve adapter
				Vaillant	M42 x 1.5	24,6	23		
				Valf Sanayii 	Thread M30 x 1,5	15,4	12,1		

Images (5x5 mm grid size)				Manufacturer's icon or logo	Connection/Hang up	Open in mm	Closed in mm	Adapter	Availability of adapters
from top	alongside	alongside	diagonally from above						
				Valvex 	Thread M30 x 1,5	8	7		
				Watts 	Thread M30 x 1,5	13,8	11,1		
				Yorhe 	Thread M30 x 1,5	14,8	12,2		
				Zentra	Thread M40 x 1,0	9,4	6,9		

 No adapter is needed

 Adapter is needed

 Order the adapter separately from a specialist dealer

 No adapter is currently available for this valve

*The thermostatic heads are usually supplied with three adapters for Danfoss valves (RA, RAV and RAVL).

Exceptions are:

- Eqiva thermostatic head (Danfoss RA valve adapter included)
- Eqiva BLUETOOTH® thermostatic head (Danfoss RA valve adapter included)
- Homematic IP Starter Kit - HmIP-SK9 and HmIP-SK16 (Danfoss RA valve adapter included)
- Homematic IP Thermostatic Head Basic (Danfoss RA valve adapter included)

A complete set of adapters for Danfoss valves (RA, RAV and RAVL) is available from this website - www.safe-home.eu